

Amendments to the Claims:

This listing of claims will replace all prior versions and listings of claims in the subject application, and please amend the claims as follows:

1. (Currently amended): A process for inducing and/or accelerating at least one phase transformation in molecular solids comprising organic molecules or which are of organic origin, wherein the molecular solid is subjected to a tribochemical treatment, and wherein the phase transformation is achieved essentially by means of transmission of high kinetic energies.
2. (Previously presented): The process as claimed in claim 1, wherein the phase transformation is achieved essentially by means of transmission of high mechanical energies.
3. (Currently amended): The process as claimed in claim 1, wherein the phase transformation is achieved essentially by means of transmission of high kinetic energies of 35 g to 50 g and higher.
4. (Previously presented): The process as claimed in claim 1, wherein the transformation is to a crystalline phase.
5. (Previously presented): The process as claimed in claim 1, wherein the phase transformation is induced at the interfaces of the solid.
6. (Previously presented): The process as claimed in claim 1, wherein the transformation takes place between two polymorphs.

7. (Previously presented): The process as claimed in one claim 1, wherein the transformation takes place from an amorphous or glasslike phase to one or more crystalline phases.

8. (Previously presented): The process as claimed in claim 1, wherein a solid not present in phase-pure form is converted to a phase-pure polymorph.

9. (Canceled)

10. (Previously presented): The process as claimed in claim 1, wherein the solids are mixtures of inorganic and organic molecules.

11. (Previously presented): The process as claimed in claim 1, wherein a semicontinuous process is effected.

12. (Previously presented): The process as claimed in claim 1, wherein it is effected under a defined atmosphere.

13. (Previously presented): The process as claimed in claim 1, wherein it is effected under a defined pressure.

14. (Previously presented): The process as claimed in claim 1, wherein it is effected under temperature control.

15. (Previously presented): The process as claimed in claim 1, wherein the solid possesses a greater density after the phase transformation.

16. (Currently amended): ~~The use~~ A method of using high-energy mills for performing phase transformations comprising: by a process of the claim 1
providing a high energy mill,
providing a molecular solid comprising organic molecules or which are of organic origin,
and
subjecting the molecular solid to a tribochemical treatment,
wherein the phase transformation is achieved essentially by means of transmission of
high kinetic energies.

17. (New): The method of claim 16, wherein transmission of high kinetic energies includes providing grinding media moving at a velocity of 14 m/s and greater in the high energy mill.

18. (New): A method of inducing or promoting a phase transition in an active pharmaceutical ingredient comprising:
transmitting high kinetic energies to an active pharmaceutical ingredient.

19. (New): A method of inducing or promoting a phase transition in co-crystal comprising:
transmitting high kinetic energies to a co-crystal.